


# R\_OSV

Rozvaděč oceloplechový, samostatně stojící  
500x800x2000  
Minimálně 30% prostorová rezerva

CYKY-J 4x50

160A/3



L1,L2

10B/3

2x25A

R\_osv.SV 1.09a

CYKY-J 5x1,5 mm2

NO

L3

SV 1.09a

ovl.

N

2x25A

R\_osv.SV 1.09b

CYKY-J 5x1,5 mm2

NO

L1

L2,L3

10B/3

SV 1.09b

ovl.

N

2x25A

R\_osv.SV 1.09c

CYKY-J 5x1,5 mm2

NO

L2

L1,L3

10B/3

SV 1.09c

ovl.

N

2x25A

R\_osv.SV 1.10a

CYKY-J 5x1,5 mm2

NO

L3

L1,L2

10B/3

SV 1.10a

ovl.

N

2x25A

R\_osv.SV 1.10b

CYKY-J 5x1,5 mm2

NO

L1

L2,L3

10B/3

SV 1.10b

ovl.

N

2x25A

R\_osv.SV 1.10c

CYKY-J 5x1,5 mm2

NO

L2

L1,L3






10B/3

SV 1.10c

ovl.




N

# R\_OSV






CYKY-J 5x1,5 mm2




R\_OSV




# R\_OSV




R\_OSV



R\_OSV



# R\_OSV




CYKY-J 5x1,5 mm2

CYKY-J 5x1,5 mm2


CYKY-J 5x1,5 mm2

# R\_OSV






R\_OSV



# R\_OSV



# R\_OSV

